

# Turning Anonymous Members of a Multiagent System into Individuals

Andrea Bönsch<sup>\*§</sup>, Tom Vierjahn<sup>\*§</sup>, Ari Shapiro<sup>‡</sup> and Torsten W. Kuhlen<sup>\*§</sup>

<sup>\*</sup>Visual Computing Institute, RWTH Aachen University, Germany

<sup>‡</sup> USC Institute for Creative Technologies, USA

<sup>§</sup> JARA-HPC, Aachen, Germany

**Abstract**—It is increasingly common to embed embodied, human-like, virtual agents into immersive virtual environments for either of the two use cases: (1) populating architectural scenes as anonymous members of a crowd and (2) meeting or supporting users as individual, intelligent and conversational agents. However, the new trend towards intelligent cyber physical systems inherently combines both use cases. Thus, we argue for the necessity of multiagent systems consisting of anonymous and autonomous agents, who temporarily turn into intelligent individuals. Besides purely enlivening the scene, each agent can thus be engaged into a situation-dependent interaction by the user, e.g., into a conversation or a joint task. To this end, we devise components for an agent’s behavioral design modeling the transition between an anonymous and an individual agent when a user approaches.

## I. INTRODUCTION

Embedding computer-controlled, human-like, virtual agents (VAs) into immersive virtual environments (IVEs) for interaction is challenging: in order to make them believable and authentic characters, the VAs have to show various aspects of human behavior. One crucial, social aspect is their demonstration of visual attention by gazing combined with their respect of personal space, a flexible protective zone that individuals maintain around themselves [13] in real-life [12] as well as in virtual scenarios [1]. Following Equilibrium Theory, the combination of gazing and interpersonal distance, i.e., the distance individuals keep between each other, induces different levels of perceived intimacy by interaction partners in real-life situations [2]. According to Bailenson and colleagues, this theory also applies to human-agent-interactions in IVEs [3].

In order to interact with VAs, a user first needs to approach them. However, depending on the scenario, the approaching phase leads to different reactions by the approached VA. In general, two situations of user-agent-interaction can be distinguished with respect to the agent’s role.

First, VAs can represent the anonymous, however autonomous members of a virtual crowd (VC). These crowds are used for instance to optimize architectural designs (e.g., [9], [14]), to enliven architectural walkthrough scenarios (e.g., [4], [21]), or to conduct pedestrian interaction behavior studies (e.g., [8]). Each of these applications provide different levels of interactivity ranging from pure agent-agent-interaction to limited user-agent-interaction. With the former, the VAs adapt only their walking trajectories in order to avoid collisions, whereas with the latter they additionally make eye contact with

an approaching user (e.g., [15], [17]). Here, small interpersonal distances are tolerated since the scenes are typically crowded.

Second, VAs can represent individuals, fulfilling various, situation-dependent roles in a direct and personal interaction with the user. For instance, the VAs are instructors (e.g., [10]), negotiation partners (e.g., [11]) or guides (e.g., [20]). In these settings, approaching an agent commonly triggers a mutual gazing as well as the start of an interaction, e.g., shown by Ólafsson and colleagues for an agent being a user’s dialogue counterpart [18]. Here, designing an agent’s behavior with respect to intimacy, comprising gazing and proxemics [13], is important during both the approaching phase and the following interaction. Indicated by a study that we have conducted, it is beneficial to model an awareness zone around a VA: when a user is entering this zone, the VA should make eye contact with the user as a visual reaction on the user’s presence while meeting the user’s personal space requirements by giving way [7].

To the best of our knowledge, both of the above situations – (1) approaching an anonymous member of a crowd to pass it and (2) approaching an individual to start an interaction – are typically considered separately. Thus, users can only interact with members of a crowd who are explicitly modeled as individuals. Consequently, users have to be specifically informed about these individuals. In games, this is often done by introducing them, or by visually highlighting the individuals, e.g., by markers floating around or above them.

However, in Virtual Reality such techniques have shortcomings: visual clues not being present in reality diminish the users’ feeling of being present in a real-life situation. Additionally, user-agent-interaction restricted to specific agents in crowded scenes results in artificial behavioral patterns of the user. By this, the powerfulness and usefulness of the applications is limited.

Therefore, we argue in this paper that especially for applications representing real-life scenes, all embedded VAs have to support personal user-agent-interaction. Consequently, the VAs’ behavioral design needs to provide techniques for turning anonymous, autonomous members of VCs into intelligent individuals on users demand. To this end, we present two examples of representative scenarios (Section II) emerging from current research efforts. Afterwards, we devise suitable components of an agents behavioral design (Section III). Finally, we outline possible research directories (Section IV).

## II. REPRESENTATIVE SCENARIOS

Current strategies by the German Federal Government aim at integrating modern information and communication technology into daily working routines. To this end, cross-linked intelligent cyber physical system (CPS), e.g., self-propelled or stationary robots, shall support human workers in order to improve and accelerate processes. Besides taking over unsafe, time-consuming, repetitive or physically exhausting tasks, the CPSs shall provide information to the workers in order to support them in making informed decisions and solving urgent problems on short notice. Two representative scenarios in these strategies are termed *Industry 4.0* and *Hospital 4.0*.

In order to optimize the value creation process by means of largely self-organizing productions, CPSs shall be integrated into industrial production, referred to as *Industry 4.0*. This will affect the working routines of the industrial workers with different areas of expertise, the facilities management as well as the suppliers.

In the rehabilitation and health care sector, CPSs shall be integrated in order to optimize the patients' treatment and care, referred to as *Hospital 4.0*. This will modify the operation principles of the medical and the nursing staff. Additionally these developments affect the patients, their accompanying persons and visitors: points of contact for treatments, data acquisitions or questions may become technical interfaces.

Virtual Reality has the potential to support these efforts in the future in several ways, inter alia: (a) by means of *virtual prototyping* in order to pre-evaluate the planned IT-integration, e.g., regarding users reactions to the presence of and the requirement to team up with autonomous robots. (b) by means of *real-time training simulations* in order to initially evaluate and then train human workers in the interaction with teams of peers and assistance robots. (c) by means of *behavioral economic experiments* to investigate, e.g., changes of non-confounded peer effects or incentive effects on competition (e.g., [6]) in the new settings.

The resulting Virtual-Reality-based applications require the scenes to be populated with believable, autonomous, virtual peers and robots in order to adequately mirror real-life situations. Consequently, VCs based on anonymous, however autonomous agents are needed that represent self-reliantly working peers or other persons, e.g., patients and visitors. In particular, the applications must facilitate user-agent-interaction with any of these agents on users demand.

## III. BEHAVIORAL DESIGN OF APPROACHED AGENTS

Simulations, as, e.g., required in the context of *Industry 4.0* and *Hospital 4.0*, have to be realistic and convincing to positively effect the human's performance in corresponding real-life situations. To this end, the virtual scenes have to be, i.a., populated by a crowd of anonymous, autonomous and authentic agents. When there is no direct user-interaction, these agents should walk around or work self-reliantly in the scene. However, the anonymous agents might be temporarily required to be engaged in a user-triggered interaction as individual, intelligent and conversational agents, e.g., as co-workers in an actual task

at hand. Consequently, the VAs' behavioral design needs to provide techniques for turning anonymous, autonomous members of crowds into intelligent individuals on users' demand.

A simple and straight-forward technique to unambiguously declare which agent is required for an interaction consists of using a ray-casting-based point-and-click metaphor. However, selecting a larger group of agents to engage them in a user-agent interaction may get tedious. Another shortcoming is that this technique might be perceived as artificial in the context of human-like agents and thus might diminish the user's feeling of being present in a realistic scene.

Commercial implementations commonly use natural speech commands like "Hey, Siri", "Ok, Google" or "Alexa" in order to trigger an interaction with a conversational agent in form of a bodiless technical interface. However, implementing this direct speech for multiagent systems is challenging: users may not know the names of the agents they plan to involve in an interaction. One solution is attaching name badges to the agents. For instance, clinic staff frequently wears badges, name tags are commonly attached to patients' beds, while accompanying persons usually stay anonymous. Thus, this method might be perceived as natural for a limited group of agents in a restricted set of scenes. Nevertheless, the badges' restricted visibility is a drawback: depending on the user-agent-alignment they can be out of sight, while reading them requires a small interpersonal distance between user and agent. However, showing the names as labels, e.g., floating above the agents, as known from many games, might be perceived as being too artificial. Using phrases such as "Hey, you" instead of the agent's names, is ambiguous if several agents are nearby. In order to clear the ambiguity, an agent in the user's vicinity may ask in return whether she or he have been addressed. However, to pick this agent more information about the current situation supplementing the phrase is required. Another drawback of the direct speech as well as the aforementioned point-and-click metaphor is the requirement that the users have to explicitly state their requests for an interaction.

To this end, it should be avoided that users are solely responsible for explicitly triggering a user-agent-interaction. Thus, we suggest embedding a selection system that automatically determines candidates for a user-agent-interaction by evaluating a predefined model: based on the user's behavior and actions in the scene, the model should determine those agents who are likely to be demanded as interaction partners. These candidates are then turned from anonymous agents to individuals. All other agents stay anonymous. The overall concept of this model is illustrated in Figure 1.

Setting up an adequate model is not trivial. However, four aspects of a user's behavior should be taken into account in order to determine a suitable set of interaction candidates:

First, evaluating the interpersonal distance between user and agents by means of the user's relative positioning, speed and walking trajectory is reasonable. This is already common in crowd simulations to avoid collisions or to add an authentic gazing between passing agents. Examples are the *time-to-collision* metric by Karamouzas and colleagues [16] or the *minimum predicted distance* by Pettré and colleagues [19]. However, a model




Fig. 1. Automatic selection system based on a set of weighted metrics evaluating a user actions determining which anonymous agent is turned into an individual interaction partner.

based purely on distance is insufficient: it can hardly distinguish between a user's intention to approach or to pass an agent.

A second behavioral pattern of the user being used for the model is gazing: Zhang and colleagues propose to evaluate the user's viewing direction as a metric to determine which agent in a desktop-based embodied social interaction is addressed [22]. This is also applicable to IVEs. However, for a reasonable metric whether the agent is a candidate for interaction or not, the analysis of the user's viewing direction should be combined with evaluating the duration of the user's fixation on an agent.

A third behavioral pattern is pointing, as suggested by Zhang and colleagues in a desktop-based setting [22]. For IVEs this can be extended to general body postures and gestures. Maintaining an open stance or waving to an agent may be interpreted as sign of making contact, while simply nodding may be a short greeting while passing by.

As a fourth model, a user's speech has to be taken into account. Although we characterized direct speech as having too many drawbacks, analyzing the language content as well as the speech direction might give useful references towards meaningful interaction candidates.

To summarize, four possible models to automatically distinguish between making contact and passing by are distance, gazing, gestures and speech. However, taken separately, none of these four models is sufficient to adequately determine whether an agent is a good interaction candidate or not. Instead, these four aspects have to be combined into one overall model. Although they cover the natural, human interaction spectrum, these individual aspects are not equally important for selecting interaction candidates. Thus, they need to be combined by means of individual weighting factors.

These weighting factors have to be adapted dynamically to the environment the user is located in: as the surrounding influences a human's interaction, we expect the required weighting factors to strongly depend on the space available. One example is the subjective interpretation of the interpersonal

distance between user and agent: people tolerate smaller interpersonal distances in narrow passages. In such situations, this measure is thus not well suited to indicate whether the user wants to pass by or to make contact. In contrast, if the interpersonal distance is small in a larger empty area, it is a strong indicator for the desire of making contact.

Another example for environment-dependent weighting is gazing: if only little space is available, focusing on an agent for a longer duration during approaching might be due to observing the agent's motions to be able to react to sudden movements in order to prevent collisions while passing. Else, it might be a sign of making contact.

Based on environment-dependent weighting factors, one aggregated score  $s$  has to be computed per agent (see Figure 1). By means of this score, the multiagent system then determines whether a VA is an interaction candidate or not. If so, the respective agent is turned from an anonymous member of the crowd into an individual, intelligent and conversational agent. After the interaction ended, indicated by speech or by the user's departure, or when the agent is not engaged in an interaction, the VA can be turned back into the anonymous member of the crowd.

If the score indicates that the user's aim is very likely to pass the approached agents, they stay anonymous. Nevertheless, following our recommendation of an awareness zone [7], it seems beneficial if the agents give visible feedback on the user's presence, e.g., by gazing and giving way. Depending on the desired level of realism, the agents' actions for the awareness zone may be more or less explicit: a study investigating a VA's approaching strategies indicated that realistic and human-like behavior do not necessarily have the highest priority [5]. Thus, we expect a clearly visible reaction on the user's approach to increase the user's comfort in the IVE, even if that does not resemble a real human's reaction.

#### IV. DISCUSSION

We have devised a behavioral design for a multiagent system comprising VAs that can temporarily turn from anonymous members of a crowd into intelligent individuals. As triggers for the transitions we suggested implementing a set of weighted metrics evaluating the user's approach based on, e.g., distance, gazing, gestures and speech.

To implement the outlined behavioral design, more insight into the situation-dependent approaching behavior between humans as well as humans and VAs in IVEs has to be gained. Additionally, detailed investigations on the required metrics used as transition triggers have to be done, taking different environments and numbers of agents into account. We are confident that Virtual-Reality-based multiagent systems will benefit from a behavioral design that combines approaches based on crowds as well as on individual agents.

Having a model yielding a per-agent-score indicating whether a VA is an interaction candidate or not allows for creating VAs with different personal traits: characteristics like shyness or obtrusiveness can be achieved by varying the weighting factors per agent. This will eventually lead to truly individual VAs.

## ACKNOWLEDGMENT

This work was funded by the project house *ICT Foundations of a Digitized Industry, Economy, and Society* at RWTH Aachen University.

## REFERENCES

- [1] F. Argelaguet Sanz, A.-H. Olivier, G. Bruder, J. Pettré, and A. Lécuyer. Virtual Proxemics: Locomotion in the Presence of Obstacles in Large Immersive Projection Environments. In *Proc. IEEE Virtual Reality*, 2015.
- [2] M. Argyle and J. Dean. Eye-Contact, Distance and Affiliation. *Sociometry*, pages 289–304, 1965.
- [3] J. N. Bailenson, J. Blascovich, A. Beall, and J. Loomis. Equilibrium Theory Revisited: Mutual Gaze and Personal Space in Virtual Environments. *Presence*, 10(6):583–598, 2001.
- [4] A. Bogdanovych and T. Trescak. Generating Needs, Goals and Plans for Virtual Agents in Social Simulations. In *Proc. 16th Int. Conf. Intell. Virtual Agents*, pages 397–401, 2016.
- [5] A. Bönsch, T. Vierjahn, and T. W. Kuhlen. Evaluation of Approaching-Strategies of Temporarily Required Virtual Assistants in Immersive Environments. In *IEEE Symp. 3D User Interfaces*, 2017.
- [6] A. Bönsch, J. Wendt, H. Overath, Ö. Güerker, C. Harbring, C. Grund, T. Kittsteiner, and T. W. Kuhlen. Peers at Work: Economic Real-Effort Experiments in the Presence of Virtual Co-workers. In *IEEE Virtual Reality Conf. Poster Proc.*, 2017.
- [7] A. Bönsch, B. Weyers, J. Wendt, S. Freitag, and T. W. Kuhlen. Collision Avoidance in the Presence of a Virtual Agent in Small-Scale Virtual Environments. In *IEEE Symp. 3D User Interfaces*, pages 145–148, 2016.
- [8] J. Bruneau, A.-H. Olivier, and J. Pettre. Going Through, Going Around: A Study on Individual Avoidance of Groups. *IEEE Trans. Vis. Comput. Graph.*, 21(4):520–528, 2015.
- [9] V. Cassol, J. Oliveira, S. R. Musse, and N. Badler. Analyzing Egress Accuracy Through the Study of Virtual and Real Crowds. In *IEEE Virtual Humans and Crowds for Immersive Environments*, pages 1–6, 2016.
- [10] I. de Kok, J. Hough, F. Hülsmann, M. Botsch, D. Schlangen, and S. Kopp. A Multimodal System for Real-Time Action Instruction in Motor Skill Learning. In *Proc. Int. Conf. Multimodal Interact.*, pages 355–362, 2015.
- [11] D. DeVault, J. Mell, and J. Gratch. Toward Natural Turn-Taking in a Virtual Human Negotiation Agent. In *AAAI Spring Symp. Turn-taking and Coordination in Human-Machine Interact.*, pages 2–9, 2015.
- [12] M. Gérin-Lajoie, C. L. Richards, J. Fung, and B. J. McFadyen. Characteristics of Personal Space During Obstacle Circumvention in Physical and Virtual Environments. *Gait & Posture*, 27(2):239 – 247, 2008.
- [13] E. T. Hall. *The Hidden Dimension: Man's Use of Space in Public and Private*. The Bodley Head Ltd, 1966.
- [14] B. Haworth, M. Usman, G. Berseth, M. Khayatkhoei, M. Kapadia, and P. Faloutsos. Using Synthetic Crowds to Inform Building Pillar Placements. In *IEEE Virtual Humans and Crowds for Immersive Environments*, pages 7–11, 2016.
- [15] R. Hu, M. Adeagbo, V. Interrante, and S. J. Guy. Virtual Human Head Turning During Collision Avoidance in Crowd Simulation. In *IEEE Virtual Humans and Crowds for Immersive Environments*, 2016.
- [16] I. Karamouzas, B. Skinner, and S. J. Guy. Universal Power Law Governing Pedestrian Interactions. *Phys. Rev. Lett.*, 113(23):238701, 2014.
- [17] S. Narang, A. Best, T. Randhavane, A. Shapiro, and D. Manocha. PedVR: Simulating Gaze-based Interactions Between a Real User and Virtual Crowds. In *Proc. 22nd ACM Conf. Virtual Reality Software and Technology*, pages 91–100, 2016.
- [18] S. Ólafsson, B. Bédi, H. E. Helgadóttir, B. Arnbjörnsdóttir, and H. H. Vilhjálmsson. Starting a Conversation with Strangers in Virtual Reykjavik: Explicit Announcement of Presence. In *Proc. 3rd European Symp. Multimodal Comm.*, 2015.
- [19] J. Pettré, J. Ondřej, A.-H. Olivier, A. Cretual, and S. Donikian. Experiment-based modeling, simulation and validation of interactions between virtual walkers. In *Proc. ACM SIGGRAPH/Eurographics Symp. Comput. Animation*, pages 189–198, 2009.
- [20] A. Roque, D. Jan, M. Core, and D. Traum. Using Virtual Tour Behavior to Build Dialogue Models for Training Review. In *Proc. 10th Int. Conf. Intell. Virtual Agents*, pages 100–105, 2011.
- [21] G. Tsoumanis, E. Kavvadia, and K. Oikonomou. A v(irtual)-City Implementation for Promoting Cultural Heritage. *Int. J. of Comput. Intell. Studies*, 4(2):173–191, 2015.
- [22] H. Zhang, C. Yu, and L. B. Smith. An Interactive Virtual Reality Platform for Studying Embodied Social Interaction. In *Proc. Symp. Toward Social Mechanisms of Android Sci.*, 2006.